

TREX FENCING FOR TALL APPLICATIONS

FDS The Source For
Trex® Fencing
ORIGINAL DESIGNER. PRODUCT EXPERT. OFFICIAL SUPPLIER.




TrexFencingFDS.com

TREX FENCING FOR COMMERCIAL APPLICATIONS (HEIGHTS OVER 8' TALL)

Trex Fencing products are manufactured to provide flexibility in design. The system is adaptable for elevations higher than those typically used in residential construction. The products offer long-term, low-maintenance benefits and are covered by a manufacturer's limited 10-year warranty.

- Heights up to 12' tall
- Mid-rails as needed
- Steel post stiffeners
- 3 colors available
- Fully sight-obscuring
- Same look on both sides
- Composite and aluminum
- Adaptable (stick-built)
- Less expensive than CMU
- Sound abatement properties



Architectural drawings and master plan sheets available at [TrexFencingFDS.com/resources/architect-engineers/](https://www.YourNextFence.com/resources/architect-engineers/)

A Selection of TREX FENCING ENCLOSURES for Heights Over 8' Tall



OSU - Columbus OH



LSU - Baton Rouge



AT&T - Louisville KY



City Hall - Pooler GA



Marion HS - West Memphis AR



Veterans Hospital - Grand Junction CO



Riverwoods - Atlanta GA



Utility Enclosure - Monte Rio CA



Columbus OH




Roseville CA

Examples of tall TREX FENCING for COMMERCIAL PROPERTY PERIMETERS



INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



3.5"x3.5"x3/16" Galvanized
Steel Post Stiffeners set in
concrete



5"x5" Composite Post sleeve
over Steel Post Stiffener

Steel Post Stiffeners are used with Trex® Composite Posts

Because of Trex's 5/8" wall thickness, it is not required for the internal steel post to extend fully to the top of the Trex post.

INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Fence Brackets are used for rail mounting



Brackets are attached to the Composite Posts at Rail Points



Glass-filled Nylon, Heavy Duty Fence Brackets

INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Rails and Pickets are cut to length



Trex materials are cut with miter and circular saws (non-ferrous blade is used for aluminum rails)



Trex Fencing panels are assembled in field

INSTALLATION OF TREX SECLUSIONS® COMMERCIAL FENCING (HEIGHTS OVER 8' TALL)



Rails are placed temporarily for accurate measurements



Fence is built from the bottom up using intermediate aluminum rails with composite covers



Pickets are interlocked and the top rail is placed over the pickets to ensure fence is secure

Fence is constructed in an assembly line fashion



CONTACT US
FDS Fence Distributors
877-700-8739 | FDS@TrexFencing.com | TrexFencingFDS.com

Trex®, the Trex® logo, and Trex Seclusions® are either federally registered trademarks, trademarks, or trade dress of Trex Company, Inc., Winchester Virginia, or its licensees. Copyright © 2022 FDS Fence Distributors. All rights reserved.